

1 Context-free grammars

Exercise 1. Let us consider the following grammar on the alphabet $\{x, y, +, -, *\}$:

$$E \rightarrow +EE \mid *EE \mid -EE \mid x \mid y$$

1. Find the leftmost and the rightmost derivations for the string $+* -xyxy$.
2. Show that this grammar is unambiguous.
3. Find a PDA for this grammar.

Exercise 2.

Using the pumping lemma show that the following languages are not CFG :

1. $\mathcal{L}_0 = \{a^i b^j c^k \mid i < j < k\}$
2. $\mathcal{L}_1 = \{a^n b^n c^m \mid n \leq m \leq 2n\}$
3. $\mathcal{L}_2 = \{a^{2^n} \mid n \in \mathbb{N}\}$
4. $\mathcal{L}_3 = \{a^{n^2} \mid n \in \mathbb{N}\}$

2 Chomsky Normal Form (CNF)

Definition 1. We recall that a grammar is in a CNF when all the production rules are :

$$A \rightarrow BC \quad \text{or} \quad A \rightarrow a \quad \text{or} \quad S \rightarrow \epsilon$$

with $B \neq S$ and $C \neq S$ where S is the start symbol.

Exercise 3. Let $G = (\Sigma, N, P, S)$ be a CFG. We suppose that S never appears in the right side of a production rule, how can you eliminate all the production rules of the form $A \rightarrow \epsilon$ (except eventually $S \rightarrow \epsilon$) from G ?

Exercise 4. Devise a method to transform production rules into CNF form, for the following shapes of production rules (we suppose that S does not appear) :

1. $A \rightarrow bC$
2. $A \rightarrow Bc$
3. $A \rightarrow bc$
4. $A \rightarrow BCD$
5. $A \rightarrow \alpha_1 \alpha_2 \alpha_3$ with $\alpha_i \in \Sigma \cup N$
6. $A \rightarrow \alpha_1 \dots \alpha_p$ with $p \geq 3$
7. $A \rightarrow B$

Exercise 5. Devise a CNF equivalent to the following grammar :

$$\begin{array}{lcl} S & \rightarrow & CSC \mid aB \\ C & \rightarrow & B \mid S \\ B & \rightarrow & b \mid \epsilon \end{array}$$

Exercise 6. Devise a polynomial time algorithm (in the size of word and the grammar) recognizing when a word belongs to a CNF grammar.